

Thomas Rinne M.D., Ph.D.  
Founding President

## Biography

Dr. Thomas Rinne is a Dutch forensic psychiatrist. He was member of the board of the Netherlands Institute for Forensic Psychiatry and Psychology (NIFP), medical director of the Pieter Baan Center (a forensic psychiatric observation clinic for pretrial assessments, with the status of a house of custody) and director of the Department of Science and Education of the NIFP. As a forensic psychiatrist, he has also worked as registered expert witness in criminal law cases.

Before he became a member of the board of the NIFP, he worked as head of the rehabilitation department of the Mental Health Institution "De Geestgronden" and later as senior consultant and associate professor of the Department of Psychiatry at the Leiden University Medical Center.

His first main research focus was the neuroendocrine sequelae of chronic traumatization and the pharmacological treatment of BPD patients. He later focused on diverse forensic psychiatric subjects.

He has received three scientific awards.

He was European Vice-President of the ISSPD and founding president of the ESSPD. In the Netherlands he was co-founder of the Dutch Center of Expertise for Personality Disorders (PD) and was member of the multidisciplinary taskforce for the guideline for Personality Disorders (pharmacotherapy and comorbidity).

He was president of the international ISSPD congress in the Hague in 2007 and the 2<sup>nd</sup> Borderline congress of the ESSPD in Amsterdam in 2012.

## Selected publications

Th. Rinne, H.G.M. Westenberg, J. A. de Boer and W. van den Brink.  
Serotonergic blunting to m-CPP highly correlates with sustained childhood trauma in impulsive and auto-aggressive borderline patients. (Biol. Psychiatry, 2000;47:548-556).

Th. Rinne, E. Ron de Kloet, Luuk Wouters, Jaap G. Goekoop, Roel H. de Rijk and Wim van den Brink. Hyperresponsiveness of hypothalamic-pituitary-adrenal axis to combined dexamethasone / corticotropin-releasing-hormone challenge in female borderline personality disorder subjects with a history of sustained childhood abuse. (Biol. Psychiatry, 2002; 52: 1102-1112).

Th. Rinne, Wim van den Brink, Luuk Wouters and Richard van Dyck.  
SSRI treatment of borderline personality disorder: A randomized, placebo-controlled trial for female patients with Borderline personality disorder (Am J of Psychiatry, dec. 2002).

Th. Rinne, E. Ronald de Kloet, Luuk Wouters, Jaap G Goekoop, Roel H. de Rijk and Wim van den Brink. Fluvoxamine Reduces Responsiveness of HPA Axis in Adult Female BPD Patients with a History of Sustained Childhood Abuse (2003) *Neuropsychopharmacology*, 28: 126-132).

Popma A., Vermeiren R., Geluk C.A., Rinne Th., van den Brink W., Knol D.L., Jansen L.M., van Engeland H. & Doreleijers T.A. (2007). Cortisol moderates the relationship between testosterone and aggression in delinquent male adolescents. *Biological Psychiatry*, 61, 405-411.

Spaans, M., Barendregt, M., Muller, E., Beurs, E. de, Nijman, H., & Rinne, Th. MMPI profiles of males accused of severe crimes, A cluster analysis. (2009) *Psychology, Crime and Law*.15 (5),441-450

de Beurs, E., Rinne, Th., van Kampen, Dirk, Verheul, Roel, and Andrea, Helen. Reliability of validity of the Dutch Dimensional Assessment of Personality Pathology-Short Form (DAPP-SF), a shortened version of the DAPP-Basic Questionnaire. (2009) *Journal of Personality Disorders* 23(3), 308-326.

Ingenhoven, T., Lafay, P., Rinne, Th., Passchier, J., and Duivenvoorden, H. Effectiveness of pharmacotherapy for severe personality disorders: meta-analyses of randomized controlled trials. (2010) *The Journal of clinical psychiatry* 71(1), 14-25..

De Beurs, E., Rinne, Th., Van Kampen, D., Verheul, R., and Andrea, H. Criterion-related validity of the DAPP-SF and its utility as a screener for personality disorders in outpatient care. (2010) *Personality and Mental Health* 4 (4) 271-283.

D Horstkötter, C. van El, M. Kempes, J. Egger, Th. Rinne, G. de Wert, T. Pieters; Neuroimaging in the courtroom: Normative frameworks and consensual practices. (2014) *American Journal of bioethics Neuroscience (AJOB Neuroscience)*

van Gronde, T.; Kempes, M.; van EL, C.; Rinne, Th.; Pieters, T. Neurobiological correlates in forensic assessment: a systematic review. (2014) *PlosONE* 9 (10)

Spaans, M.; de Beurs E.; Rinne, Th.; Spinhoven, P. The DAPP-SF as a Screener for Personality Disorder in a Forensic Setting. (2015) *J Pers Assess*; 20:1-10

Spaans, M.; Molendijk, M.L.; de Beurs, E.; Rinne, Th.; Spinhoven, P. Self-reported personality traits in forensic populations: a meta-analysis. (2017) *Psychology Crime & Law*; 23(1), 56-7

Spaans, M.; de Beurs E.; Rinne, Th.; Spinhoven, P. Prognostic Factors for Length of Enforced Forensic Treatment with Special Focus on Personality Disorder. (2017) *International Journal of Forensic Mental Health* 16(2), 93-103

Th. Rinne, Th. Ingenhoven (2007).

Pharmacological Therapy of Personality Disorders: what it can do and cannot do. In: Severe Personality Disorders, Editors: dr. B. van Luyn, dr. Salman Akhtar and John Livesley. Publisher Cambridge University Press

Th. Rinne (2008)

Editor of the chapter "Comorbid disorders in PD" and author of the chapter "Comorbid Anxiety disorders in PD" in the Dutch Multidisciplinary Guideline for Personality Disorders.

Publisher: Trimbos Institute, Utrecht

Th. Ingenhoven and Th. Rinne (2008)

"Pharmacotherapy of Personality disorders" in the Dutch Multidisciplinary Guideline for Personality Disorders. Publisher: Trimbos Institute, Utrecht